


The strength of tradition in the challenges of tomorrow.



Coal mill MWK-16 (height 5 m)



Electrofilter basis 23 m x 12 m



Pipes and valve bodies



solidna firma

FAIR PLAY



POWER ENGINEERING S.A.



Low NOx Burners

Low NOx burners for power station boilers feed by popular fuel, like coal, oil and gas in several configurations and models
More than 1000 pieces of the various burners were manufactured by PE so far.



Gas-oil burners for Japan



Low NOx Burners




Coal-oil-gas burners for Far East




Technical devices and steel constructions - examples



Separator (d. 5 m, h. 3 m)



Spiral case of water turbin (d. 4,5 m)



Rotary air preheaters (d. 17 m, h. 8 m)



Pipe for Hydropower plant



Technical devices and steel constructions - examples



Ash conveyor (l. 21m , h. 5m)



Venturi sections



Exhaust duct



Valve



Coned pipe



Corrosion protection

- Modern blast chamber with floor scraper, abrasive recirculation system and a separator chamber (dimensions: 10x6x6 meters), where the elements are prepared for painting.
- Paint-drying cabin measuring 20x6x6 meters
- Both facilities meet all standards for the reduction of harmful emissions into the environment and provide high quality anti-corrosion coatings.



Transformer tank in blast chamber



Radiators in paint drying cabin





Other works made by Power Engineering



Our new product

